Author Index

Altria, K.D.
High-speed determination of drug related impurities by capillary electrophoresis employing commercial instrumentation 636(1993)125

Bayona, J.M., see Dachs, J. 636(1993)277

Beaumont, G.L., see Evans, K.P. 636(1993)153

Bergström, E.T., see Williams, S.J. 636(1993)39

Bevan, C.D., Mutton, I.M. and Pipe, A.J.
Resolution of diastereomeric phosphoramidate bridged unnatural oligonucleotides by micellar electrokinetic chromatography 636(1993)113

Bohn, E., see Kunze, H. 636(1993)221

Brønnum-Hansen, K., see Olsen, L. 636(1993)231

Chan, E.N.L. and Goodall, D.M.
Capillary electrophoresis analysis of polyhaematoporphyrin, a photosensitizer used in photodynamic therapy 636(1993)171

Corran, P.H. and Sutcliffe, N.
Identification of gonadorelin (LHRH) derivatives: comparison of reversed-phase high-performance liquid chromatography and micellar electrokinetic chromatography 636(1993)87

Corran, P.H., see Sutcliffe, N. 636(1993)95

Dachs, J. and Bayona, J.M.
Optimization of a flame photometric detector for supercritical fluid chromatography of organotin compounds 636(1993)277

Dette, C., see Wätzig, H. 636(1993)31

Evans, K.P. and Beaumont, G.L.
Role of capillary electrophoresis in specialty chemical research 636(1993)153

Evans, K.P., see Williams, S.J. 636(1993)39

Foriers, A., see Jimidar, M. 636(1993)179

Gavrilina, L.V., see Kudelin, B.K. 636(1993)243

Goodall, D.M., see Chan, E.N.L. 636(1993)171

Goodall, D.M., see Penn, S.G. 636(1993)149

Goodall, D.M., see Survay, M.A. 636(1993)81

Goodall, D.M., see Williams, S.J. 636(1993)39

Grune, T., Ross, G.A., Schmidt, H., Siems, W. and Perrett, D.
Optimized separation of purine bases and nucleosides in human cord plasma by capillary zone electrophoresis 636(1993)105

Guiochon, G., see Zhu, J. 636(1993)189

Hague, G.R., see Mulholland, F. 636(1993)63

Hamoir, T.P., see Jimidar, M. 636(1993)179

Helboe, P., see Olsen, L. 636(1993)231

Hong-You, R.L., see Lee, H.-B. 636(1993)263

Huopalahti, R. and Sunell, J.
Use of capillary zone electrophoresis in the determination of B vitamins in pharmaceutical products 636(1993)133

Ishihama, Y., see Terabe, S. 636(1993)47

Jäppinen, P., see Kontsas, H. 636(1993)255

Jimidar, M., Hamoir, T.P., Foriers, A. and Massart, D.L.
Comparison of capillary zone electrophoresis with high-performance liquid chromatography for the determination of additives in foodstuffs 636(1993)179

Jørgensen, G.H., see Olsen, L. 636(1993)231

Kaminski, Yu.L., see Kudelin, B.K. 636(1993)243

Kasumi, T., see Mulholland, F. 636(1993)63

Kawazumi, H., see Williams, S.J. 636(1993)39

Khaledi, M.G., see Rodgers, A.H. 636(1993)203

Khuhawar, M.Y., Sarafraz-Yazdi, A. and Uden, P.C.
Capillary gas chromatographic determination of copper and nickel using microwave-induced plasma atomic emission detection 636(1993)271

Kontsas, H., Rosenberg, C., Jäppinen, P. and Riekkola, M.-L.
Glass fibre prefilter–XAD-2 sampling and gas chromatographic determination of airborne chlorophenols 636(1993)255

Kryger, S., see Olsen, L. 636(1993)231

Kudelin, B.K., Gavrilina, L.V. and Kaminski, Yu.L.
Isotope effects in liquid chromatography of imipramine and desmethylimipramine 636(1993)243

Kunze, H. and Bohn, E.
Separation and analysis of amino alcohol-containing diacylglycerophospholipids and their hydrolytic metabolites 636(1993)221

Lee, H.-B., Peart, T.E. and Hong-You, R.L.
Determination of phenolics from sediments of pulp mill origin by *in situ* supercritical carbon dioxide extraction and derivatization 636(1993)263

Lienhard, S., see Thormann, W. 636(1993)137

Loran, J.S., see Penn, S.G. 636(1993)149

Lorkin, P., see Ross, G.A. 636(1993)69

Massart, D.L., see Jimidar, M. 636(1993)179

McCalley, D.V.
Evaluation of reversed-phase columns for the analysis of very basic compounds by high-performance liquid chromatography. Application to the determination of the tobacco alkaloids 636(1993)213

Miyashita, Y., see Terabe, S. 636(1993)47

Movahedi, S., see Mulholland, F. 636(1993)63

Mulholland, F., Movahedi, S., Hague, G.R. and Kasumi, T.
Monitoring tripeptidase activity using capillary electrophoresis. Comparison with the ninhydrin assay 636(1993)63

Mutton, I.M., see Bevan, C.D. 636(1993)113

Niessen, W.M.A., Tjaden, U.R. and van der Greef, J.
Capillary electrophoresis—mass spectrometry 636(1993)3

Olsen, L., Brønnum-Hansen, K., Helboe, P., Jørgensen, G.H. and Kryger, S.
Chiral separations of β-blocking drug substances using derivatization with chiral reagents and normal-phase high-performance liquid chromatography 636(1993)231

Author Index

Altria, K.D.
High-speed determination of drug related impurities by capillary electrophoresis employing commercial instrumentation 636(1993)125

Bayona, J.M., see Dachs, J. 636(1993)277

Beaumont, G.L., see Evans, K.P. 636(1993)153

Bergström, E.T., see Williams, S.J. 636(1993)39

Bevan, C.D., Mutton, I.M. and Pipe, A.J.
Resolution of diastereomeric phosphoramidate bridged unnatural oligonucleotides by micellar electrokinetic chromatography 636(1993)113

Bohn, E., see Kunze, H. 636(1993)221

Brønnum-Hansen, K., see Olsen, L. 636(1993)231

Chan, E.N.L. and Goodall, D.M.
Capillary electrophoresis analysis of polyhaematoporphyrin, a photosensitizer used in photodynamic therapy 636(1993)171

Corran, P.H. and Sutcliffe, N.
Identification of gonadorelin (LHRH) derivatives: comparison of reversed-phase high-performance liquid chromatography and micellar electrokinetic chromatography 636(1993)87

Corran, P.H., see Sutcliffe, N. 636(1993)95

Dachs, J. and Bayona, J.M.
Optimization of a flame photometric detector for supercritical fluid chromatography of organotin compounds 636(1993)277

Dette, C., see Wätzig, H. 636(1993)31

Evans, K.P. and Beaumont, G.L.
Role of capillary electrophoresis in specialty chemical research 636(1993)153

Evans, K.P., see Williams, S.J. 636(1993)39

Foriers, A., see Jimidar, M. 636(1993)179

Gavrilina, L.V., see Kudelin, B.K. 636(1993)243

Goodall, D.M., see Chan, E.N.L. 636(1993)171

Goodall, D.M., see Penn, S.G. 636(1993)149

Goodall, D.M., see Survay, M.A. 636(1993)81

Goodall, D.M., see Williams, S.J. 636(1993)39

Grune, T., Ross, G.A., Schmidt, H., Siems, W. and Perrett, D.
Optimized separation of purine bases and nucleosides in human cord plasma by capillary zone electrophoresis 636(1993)105

Guiochon, G., see Zhu, J. 636(1993)189

Hague, G.R., see Mulholland, F. 636(1993)63

Hamoir, T.P., see Jimidar, M. 636(1993)179

Helboe, P., see Olsen, L. 636(1993)231

Hong-You, R.L., see Lee, H.-B. 636(1993)263

Huopalahti, R. and Sunell, J.
Use of capillary zone electrophoresis in the determination of B vitamins in pharmaceutical products 636(1993)133

Ishihama, Y., see Terabe, S. 636(1993)47

Jäppinen, P., see Kontsas, H. 636(1993)255

Jimidar, M., Hamoir, T.P., Foriers, A. and Massart, D.L.
Comparison of capillary zone electrophoresis with high-performance liquid chromatography for the determination of additives in foodstuffs 636(1993)179

Jørgensen, G.H., see Olsen, L. 636(1993)231

Kaminski, Yu.L., see Kudelin, B.K. 636(1993)243

Kasumi, T., see Mulholland, F. 636(1993)63

Kawazumi, H., see Williams, S.J. 636(1993)39

Khaledi, M.G., see Rodgers, A.H. 636(1993)203

Khuhawar, M.Y., Sarafraz-Yazdi, A. and Uden, P.C.
Capillary gas chromatographic determination of copper and nickel using microwave-induced plasma atomic emission detection 636(1993)271

Kontsas, H., Rosenberg, C., Jäppinen, P. and Riekkola, M.-L.
Glass fibre prefilter–XAD-2 sampling and gas chromatographic determination of airborne chlorophenols 636(1993)255

Kryger, S., see Olsen, L. 636(1993)231

Kudelin, B.K., Gavrilina, L.V. and Kaminski, Yu.L.
Isotope effects in liquid chromatography of imipramine and desmethylimipramine 636(1993)243

Kunze, H. and Bohn, E.
Separation and analysis of amino alcohol-containing diacylglycerophospholipids and their hydrolytic metabolites 636(1993)221

Lee, H.-B., Peart, T.E. and Hong-You, R.L.
Determination of phenolics from sediments of pulp mill origin by *in situ* supercritical carbon dioxide extraction and derivatization 636(1993)263

Lienhard, S., see Thormann, W. 636(1993)137

Loran, J.S., see Penn, S.G. 636(1993)149

Lorkin, P., see Ross, G.A. 636(1993)69

Massart, D.L., see Jimidar, M. 636(1993)179

McCalley, D.V.
Evaluation of reversed-phase columns for the analysis of very basic compounds by high-performance liquid chromatography. Application to the determination of the tobacco alkaloids 636(1993)213

Miyashita, Y., see Terabe, S. 636(1993)47

Movahedi, S., see Mulholland, F. 636(1993)63

Mulholland, F., Movahedi, S., Hague, G.R. and Kasumi, T.
Monitoring tripeptidase activity using capillary electrophoresis. Comparison with the ninhydrin assay 636(1993)63

Mutton, I.M., see Bevan, C.D. 636(1993)113

Niessen, W.M.A., Tjaden, U.R. and van der Greef, J.
Capillary electrophoresis—mass spectrometry 636(1993)3

Olsen, L., Brønnum-Hansen, K., Helboe, P., Jørgensen, G.H. and Kryger, S.
Chiral separations of β-blocking drug substances using derivatization with chiral reagents and normal-phase high-performance liquid chromatography 636(1993)231

Peart, T.E., see Lee, H.-B. 636(1993)263
Penn, S.G., Goodall, D.M. and Loran, J.S.
Differential binding of tioconazole enantiomers to hydroxypropyl-β-cyclodextrin studied by capillary electrophoresis 636(1993)149
Perrett, D., see Grune, T. 636(1993)105
Perrett, D., see Ross, G.A. 636(1993)69
Pipe, A.J., see Bevan, C.D. 636(1993)113
Regnier, F.E., see Yao, X.-W. 636(1993)21
Řezanka, T. and Sokolov, M.Yu.
Rapid method for the enrichment of very long-chain fatty acids from microorganisms 636(1993)249
Riekkola, M.-L., see Kontsas, H. 636(1993)255
Rodgers, A.H., Strasters, J.K. and Khaledi, M.G.
Simultaneous optimization of pH and micelle concentration in micellar liquid chromatography 636(1993)203
Rosenberg, C., see Kontsas, H. 636(1993)255
Ross, G.A., Lorkin, P. and Perrett, D.
Separation and tryptic digest mapping of normal and variant haemoglobins by capillary electrophoresis 636(1993)69
Ross, G.A., see Grune, T. 636(1993)105
Rowe, R.C., see Survay, M.A. 636(1993)81
Sarafraz-Yazdi, A., see Khuhawar, M.Y. 636(1993)271
Schmidt, H., see Grune, T. 636(1993)105
Shibata, O., see Terabe, S. 636(1993)47
Siems, W., see Grune, T. 636(1993)105
Sokolov, M.Yu., see Řezanka, T. 636(1993)249
Strasters, J.K., see Rodgers, A.H. 636(1993)203
Sunell, J., see Huopalahti, R. 636(1993)133
Survay, M.A., Goodall, D.M., Wren, S.A.C. and Rowe, R.C.
Oligoglycines and oligoalanines as tests for modelling mobility of peptides in capillary electrophoresis 636(1993)81
Sutcliffe, N. and Corran, P.H.
Comparison of selectivities of reversed-phase high-performance liquid chromatography, capillary zone electrophoresis and micellar capillary electrophoresis in the separation of neurohypophyseal peptides and analogues 636(1993)95
Sutcliffe, N., see Corran, P.H. 636(1993)87
Terabe, S., Miyashita, Y., Ishihama, Y. and Shibata, O.
Cyclodextrin-modified micellar electrokinetic chromatography: separation of hydrophobic and enantiomeric compounds 636(1993)47
Thormann, W., Lienhard, S. and Wernly, P.
Strategies for the monitoring of drugs in body fluids by micellar electrokinetic capillary chromatography 636(1993)137
Tjaden, U.R., see Niessen, W.M.A. 636(1993)3
Uden, P.C., see Khuhawar, M.Y. 636(1993)271
van der Greef, J., see Niessen, W.M.A. 636(1993)3
Wätzig, H. and Dette, C.
Precise quantitative capillary electrophoresis. Methodological and instrumental aspects 636(1993)31
Wernly, P., see Thormann, W. 636(1993)137
Williams, S.J., Bergström, E.T., Goodall, D.M., Kawazumi, H. and Evans, K.P.
Diode laser-based indirect absorbance detector for capillary electrophoresis 636(1993)39
Wren, S.A.C.
Theory of chiral separation in capillary electrophoresis 636(1993)57
Wren, S.A.C., see Survay, M.A. 636(1993)81
Wu, D., see Yao, X.-W. 636(1993)21
Yao, X.-W., Wu, D. and Regnier, F.E.
Manipulation of electroosmotic flow in capillary electrophoresis 636(1993)21
Zhu, J. and Guiochon, G.
The shock layer thickness, a new approach to the study of column performance in non-linear chromatography I. Optimum linear velocity in frontal analysis 636(1993)189